




Stage 1, range C

Scoring Targets: 10 IPSC Targets, 1 IPSC Popper,
3 IPSC Metal Plates

Minimum Number of Rounds Required: 24

Safety angles:

90 degrees to the left and right.

Competitor Ready

Standing with hands above shoulders.

Condition:


As per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Competitor standing at the mark A, both heels touching the mark, facing down range. As demonstrated.

Time starts: Audible signal.

Procedure: On signal, engage targets.

Note: Popper P1 activates flip-up targets T1 - T2 and T3 - T4. T2 and T4 are visible before activation, T1 and T3 are visible after activation.



Stage 2, range E

Scoring Targets: 13 IPSC Targets, 2 IPSC Metal Plates,
2 IPSC Poppers, 2 IPSC Mini Poppers

Minimum Number of Rounds Required: 32

Safety angles: 90 degrees to the left and right.


Competitor Ready Condition: Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing anywhere within the designated area A.

Time starts: Audible signal.

Procedure: On signal, engage targets.

Note: IPSC Mini Popper MP1 opens aperture, making IPSC Target T3 available. IPSC Mini Popper MP2 activates moving target T4, which will remain visible at rest.



Stage 3, range F


Scoring Targets:	12 IPSC Targets
Minimum Number of Rounds Required:	24
Safety angles:	Indicated by flags
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Competitor standing at either mark A or B, one foot touching mark, facing down range. As demonstrated.

Time starts: Audible signal.

Procedure: On signal, engage targets.

Note: The tunnel is a Cooper tunnel.



Stage 4, range H

Scoring targets: 10 IPSC targets
Minimum number of rounds required: 20
Safety angles: 90 degrees to left and right
Competitor ready condition: Standing as per rule 3.2.2, section 8.2 and appendix E2


Start position: Standing anywhere inside area A, facing downrange
Time starts: On audible signal
Procedure: On signal engage targets



Stage 5, range I

Scoring Targets:	9 IPSC Targets, 3 IPSC Metal Plates, 2 IPSC Poppers, 1 IPSC Mini Poppers
Minimum Number of Rounds Required:	24
Safety angles:	90° left, right indicated by flag. Once past the flag, 90° right.
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2


Start position: Standing anywhere within the designated area A.
Time starts: Audible signal.
Procedure: On signal, engage targets.
Note: IPSC Mini Popper MP1 activates moving targets T3 and PL3, which remain visible at rest.



Stage 6, range J


Scoring targets:	15 IPSC targets, 2 IPSC mini poppers
Minimum number of rounds required:	32
Safety angles:	90 degrees to left and right
Competitor ready condition:	Standing as per rule 3.2.2, section 8.2 and appendix E2

Start position:	Standing anywhere inside area A, facing downrange
Time starts:	On audible signal
Procedure:	On signal engage targets



Stage 7, range K1


Scoring Targets:	11 IPSC Targets, 1 IPSC metal plate, 1 IPSC mini popper	Starting position: Standing anywhere within the designated area
Minimum Number of Rounds Required:	24	Time starts: Audible signal
Safety angles:	Indicated by flags.	Procedure: On signal, engage targets MP1 activates moving target T9, which is visible at rest.
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2	



Stage 8, range L

Scoring targets:	6 IPSC targets
Minimum number of rounds required:	12
Safety angles:	90 degrees to left and right
Competitor ready condition:	Standing as per rule 3.2.2, section 8.2 and appendix E2


Start position:	Standing anywhere inside area A, facing downrange
Time starts:	On audible signal
Procedure:	On signal, engage all targets



Stage 9, range C

Scoring Targets: 6 IPSC Targets
 Minimum Number of Rounds Required: 12
 Safety angles: 90 degrees to the left and right.
 Competitor Ready Condition: As per Rule 3.2.2, Section 8.2, & Appendix E2

Firearm Ready Condition: Unloaded, chamber and magwell empty. All magazines or clips to be used placed on barrel.
Start position: Competitor sitting on chair, hands on knees, facing down range. As demonstrated.
Time starts: Audible signal.
Procedure: On signal, engage targets.



Stage 10, range E


Scoring Targets: 5 IPSC Targets, 2 IPSC Mini Poppers
 Minimum Number of Rounds Required: 12
 Safety angles: 90 degrees to the left and right.
 Competitor Ready Condition: Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing at B, toes touching fault line. As demonstrated.

Time starts: Audible signal.

Procedure: On signal, engage targets.


Note: IPSC Mini Popper MP1 opens aperture, making IPSC Target T3 available. IPSC Mini Popper MP2 activates moving target T4, which will remain visible at rest.



Stage 11, range F

Scoring Targets: 6 IPSC Targets
 Minimum Number of Rounds Required: 12
 Safety angles: Indicated by flags.
 Competitor Ready Condition: Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Firearm Ready Condition: Gun is loaded, placed on barrel.
Start position: Within arms reach of barrel, facing down range. As demonstrated.
Time starts: Audible signal.
Procedure: On signal, engage targets using **Strong Hand** only.
Note: Window aperture is soft cover.



Stage 12, range G

Scoring Targets: 6 IPSC Targets

Minimum Number of Rounds Required: 12


Safety angles: 90 degrees to the left and right.

Competitor Ready Condition: Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing at A

Time starts: Audible signal.

Procedure: On signal, engage targets.



Stage 13, range I

Scoring Targets: 11 IPSC Targets

Minimum Number of Rounds Required: 22

Safety angles: Left indicated by flag, right 90 degrees.


Competitor Ready Condition: Competitor standing as per Rule 3.2.2,

Section 8.2, & Appendix E2

Start position: Anywhere inside designated area,

Time starts: Audible signal.


Procedure: On signal, engage targets.




Stage 14, range J

Scoring targets:	6 IPSC targets
Minimum number of rounds required:	12
Safety angles:	Indicated by flag to the left, 90 degrees to the right
Competitor ready condition:	Standing as per rule 3.2.2, section 8.2 and appendix E2

Start position:	Standing at A, facing downrange, left foot touching both fault lines i corner
Time starts:	On audible signal
Procedure:	On signal engage targets



Stage 15, range K2		
Scoring Targets:	3 IPSC Targets, 4 IPSC metal plates, 1 IPSC popper	Starting position: Standing anywhere within the designated area
Minimum Number of Rounds Required:	11	Time starts: Audible signal
Safety angles:	Indicated by flags.	Procedure: On signal, engage targets
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2	



Stage 16, range L

Scoring targets: 6 IPSC targets
Minimum number of rounds required: 12
Safety angles: 90 degrees to left and right
Competitor ready condition: Standing as per rule 3.2.2, section 8.2 and appendix E2

Firearm ready condition: Gun loaded and placed on barrel
Start position: Standing in front of barrel, facing downrange
Time starts: On audible signal
Procedure: On signal, engage all targets, weak hand only